

PRODUCT-DETAILS

TS16/12-24 C

TS16/12-24 C Safety isolating transformer



Informations générales

Extension du type de produit	TS16/12-24 C
Code de produit	2CSM228565R0812
EAN	8012542285656
Description courte	TS16/12-24 C Safety isolating transformer
Description longue	TS-C are ideal for supplying permanent power to meters, auxiliary electronic devices and circuits with very low safety voltage (SELV) for bathrooms and showers, lighting, fountains, electro-medical devices and suchlike.

Technique

Normes et standards	IEC/EN 61558-2-6
Application	Building and Industrial
Primary Voltage	230 V
Secondary Voltage	(2-3) 12 V AC (2-4) 24 V AC (3-4) 0 V AC
Secondary Current	(2-3) 1.33 A (2-4) 0.67 A (3-4) 0 A
Output Current Maximum (I_{out})	0.67 A
Fréquence assignée (f)	50/60 Hz
Power Loss	< 5 (full load) W
Power Supply	16 V·A
Rated Output Power	16 W

Insulation Class	B
Tightening Torque	0.5 N·m
Transformer Type	Non - Inherently Short Circuit Proof
Options Provided	None
Remarks	Suitable for loads that require a continuous supply. Double insulation between primary and secondary windings
Connecting Capacity	2.5 mm ²

Environnement

Indice de protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technique UL/CSA

Connecting Capacity	14 AWG
UL/CSA	

Dimensions

Width in Number of Modular Spacings	3
Produit Largeur Net	60 mm
Produit Hauteur Net	0.085 m
Produit Longueur Net	0.065 m
Poids net	0.450 kg
Produit Longueur Net	65 mm

Emballage

Emballage Niveau 1 Unités	1 pièce
Emballage Niveau 1 Largeur	0.09 m
Emballage Niveau 1 Hauteur	0.08 m
Emballage Niveau 1 Longueur	0.06 m
Emballage Niveau 1 Poids	0.450 kg
Emballage Niveau 1 EAN	8012542285656

Commande

Quantité minimum	1 pièce
Code douanier	85043121
E-Number (Finland)	8409004
Pays d'origine	Italy (IT)

Certificats et Déclarations (Numéro de document)

Certification Agency	IMQ, EAC
Déclaration de Conformité - CE	No declaration needed
EAC Certificate	9AKK107992A6755
IMQ Certificate	9AKK107992A6753

Instructions et manuels	No document needed
RoHS Information	2QD00031

Popular Downloads

Fiche produit, informations techniques	2CSC000001D0202
Instructions et manuels	No document needed

Classifications

ETIM 7	EC001547 - Bell transformer
ETIM 8	EC001547 - Bell transformer
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
DEEE B2C / B2B	Business To Consumer
CN8	85043121
Object Classification Code	T

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Command and Signalling Devices → Bells and safety transformers

