## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC34225

Parameter	Value	Parameter		Value		
Product parameters						
Anti-glare shield:	No	Dimmable:		Yes		
High luminance light source:	No					
Colour-tuneable light source:	No	Envelope:		-		
Mains or non-mains:	NMLS	Connected source (CLS):	light	No		
Light source cap-type (or other electric interface)	G24q-3					
Lighting technology used:	CFLni	Non-directional directional:	or	NDLS		

		Troduct parar		I			
Parameter		Value	Parameter	Value			
General product parameters:							
<u> </u>	nption in on- 00 h), rounded st integer	27	Energy efficiency class	G			
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º)	1 750 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	26,9	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00			
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80			
Outer dimen-	Height	164	Spectral power dis-	See image			
sions without	Width	12	tribution in the	in last page			
separate con- trol gear, light- ing control	Depth	12	range 250 nm to 800 nm, at full-load				

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,440 0,403

(a)'-': not applicable; (b)'-': not applicable;

