

PRODUCT-DETAILS

F202 A-40/0.03 CEBEC

F202 A-40/0.03 CEBEC Residual Current Circuit Breaker



Informations générales

Extension du type de produit	F202 A-40/0.03 CEBEC
Code de produit	2CSF202121R1400
EAN	8012542818403
Description courte	F202 A-40/0.03 CEBEC Residual Current Circuit Breaker
Description longue	The RCCBs F200 series assures protection to people and installations against fault current to earth. This product is manufactured only for Belgian market according to CEBEC standards, with a dedicated marking and terminal covers.

Technique

Normes et standards	IEC/EN 61008
Type of Residual Current	A type
Tension nominale (U_r)	230 V
Tension	230 V
Tension assignée d'isolement (U_i)	500 V
Tension assignée de tenue aux chocs (U_{imp})	4 kV
Type de tension	AC
Courant nominal (I_n)	40 A

Rated Residual Current	30 mA
Rated Conditional Short-Circuit Current (I_{nc})	10 kA
Pouvoir assigné de coupure de service en court-circuit (I_{cs})	1 kA
Maximum Surge Current	0.25 kA
Leakage Current Type	A
Fréquence assignée (f)	50 / 60 Hz
Power Loss	at Rated Operating Conditions per Pole 2.4 W
Power Supply Connection	Arbitrary
Electrical Endurance	10000 cycle
Nombre de pôles	2
Operating Characteristic	Instantaneous
Type de montage	DIN rail
Options Provided	None, Flap covered terminals
Accessories Available	Yes
Connecting Capacity	Busbar 10 mm ² Rigid 25 ... 25 mm ² Flexible 25 ... 25 mm ²
Rated Cross-Section	4 - Multi-Wired 0...25 mm ² 1 - Solid-Core 25...25 mm ²
Terminal Type	Flap Covered

Environnement

Température extérieure	-25...55 °C
Température de l'air ambiant	Operation -25...55 °C
Indice de protection	IP2X
Degré de pollution	2
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	Refer to RoHS

Dimensions

Width in Number of Modular Spacings	2
Produit Largeur Net	0.035 m
Produit Hauteur Net	0.085 m
Produit Longueur Net	0.069 m
Poids net	0.200 kg
Profondeur d'encastrement (t_2)	69 mm

Emballage

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1	80 mm

Largeur

Emballage Niveau 1	41 mm
Hauteur	

Emballage Niveau 1	94 mm
Longueur	

Emballage Niveau 1 Poids	0.235 kg
--------------------------	----------

Emballage Niveau 1 EAN	8012542818403
------------------------	---------------

Commande

Quantité minimum	1 pièce
------------------	---------

Code douanier	85363030
---------------	----------

Pays d'origine	Italy (IT)
----------------	------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	9AKK106713A5602
-----------------------------------	-----------------

Environmental Information	Refer to RoHS
---------------------------	---------------

Instructions et manuels	9AKK107991A6127
-------------------------	-----------------

RoHS Information	2CSC423001K2702
------------------	-----------------

Popular Downloads

Fiche produit, informations techniques	9AKK107991A8329
---	-----------------

Instructions et manuels	9AKK107991A6127
-------------------------	-----------------

Classifications

ETIM 7	EC000003 - Residual current circuit breaker (RCCB)
--------	--

ETIM 8	EC000003 - Residual current circuit breaker (RCCB)
--------	--

Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
----------------	--

DEEE B2C / B2B	Business To Consumer
----------------	----------------------

CN8	85363030
-----	----------

Object Classification Code	F
----------------------------	---

Catégories

Produits basse tension → Appareillage modulaire et parafoudres → Protection différentielle → Interrupteurs différentiels

