

PRODUCT-DETAILS

HS/S 4.2.1

HS/S4.2.1 Outside Light Sensor Interface, MDRC



Informations générales

Extension du type de produit	HS/S 4.2.1
Code de produit	2CDG120044R0011
EAN	4016779906722
Description courte	HS/S4.2.1 Outside Light Sensor Interface, MDRC
Description longue	The device can be used as a twilight switch (1 ... 100 lux) or as a light value switch (100 ... 20.000 lux). One Outside Light Sensor LFO/A 1.1 is supplied with the device.

Commande

EAN	4016779906722
Code douanier	85389091
Quantité minimum	1 pièce
E-Number (Switzerland)	405461105
E-Number (Finland)	2815442
E-Number (Sweden)	1738424

Dimensions

Produit Longueur Net	70 mm
Produit Hauteur Net	90 mm
Produit Largeur Net	53 mm
Poids net	0.187 kg

Emballage

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 EAN	4016779906722
Emballage Niveau 1 Longueur	102 mm
Emballage Niveau 1 Hauteur	102 mm
Emballage Niveau 1 Largeur	110 mm
Emballage Niveau 1 Poids	0.243 kg

Technique

Compatible Bus Systems	KNX (TP)
Indice de protection	IP20
Type de montage	DIN-Rail
Taille d'écran	2 in
Width in Number of Modular Spacings	3

Certificats et Déclarations (Numéro de document)

Fiche produit, informations techniques	2CDC507131D0202
Déclaration de Conformité - CE	2CDK507148D2701
Instructions et manuels	2CDG941107P0002
RoHS Information	2CDK507148D2701

Environnement

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC000927 - Brightness sensor for bus system
ETIM 8	EC000927 - Brightness sensor for bus system
eClass	V11.0 : 27143111
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

Catégories

Produits basse tension → Home and Building Automation → KNX → Lighting Control → Light Level Sensors

