Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: (OSRAM
----------------------------------	-------

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC34266

_	•			
Tyna	Λt	lioht	source	٠.
IVDE	vı	HEILL	JUUILE	- •

Lighting technology used:	CFLni	Non-directional or directional:	NDLS
Light source cap-type	G23		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	_		

Product parameters

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
Energy consummode (kWh/10) up to the neares	00 h), rounded	13	Energy efficiency class	G
Useful luminous dicating if it refe a sphere (360°), (120°) or in a na	ers to the flux in , in a wide cone	900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P _{on}), ex-	12,4	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked st (P _{net}) for CLS, e and rounded to imal	•	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	236	Spectral power dis-	See image
sions without	Width	12	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	12	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,455 0,415

(a)'-': not applicable; (b)'-': not applicable;

