## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: OSRAM

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

## Model identifier: AC34105

## Type of light source:

Lighting technology used:	other FL	Non-directional or directional:	NDLS		
Light source cap-type	G13				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

Parameter		Value	Parameter	Value		
i arameter				Vulue		
General product parameters:						
0,	nption in on- 100 h), rounded st integer	40	Energy efficiency class	G		
dicating if it refe a sphere (360 <sup>o</sup> )	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	3 250 in Sphere (360°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	4 000		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	39,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
(P <sub>net</sub> ) for CLS, e	tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	1 213	Spectral power dis-	See image		
sions without	Width	25	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	25	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent pov	ver <sup>(a)</sup> -	If yes, equivalent power (W)	-
		Chromaticity coordi- nates (x and y)	0,380 0,380

(a)'-' : not applicable;

(b)'-' : not applicable;

