


PRODUCT-DETAILS

DDA204 A-40/0.03

DDA204 A-40/0.03 Residual Current Device Block



Algemene informatie

Type	DDA204 A-40/0.03
Artikelnummer	2CSB204101R1400
EAN	8012542798101
Omschrijving	DDA204 A-40/0.03 Residual Current Device Block
Omschrijving	The RCD block DDA200 series is suitable for assembly with MCBs S200 series. It assures protection against the effects of sinusoidal alternating and direct pulsating earth fault currents, protection, against indirects contacts and additional protection against direct (with sensitivity = 30 mA) contacts. Applications: residential, commercial, industrial.

Technical

Normen	IEC/EN 61009 Ann. G
Type reststroom	A type
Toegekende spanning (U_r)	230/400 V
Nominaal bedrijfsvoltage	230/400 V
Nominaal isolatievoltage (U_i)	500 V
Nominale impuls grensvoltage (U_{imp})	4 kV
Toegekende stroom (I_n)	40 A

Nominale resterende stroom	30 mA
Type lekstroom	A
Toegekende frequentie (f)	50/60 Hz
Vermogensverlies	4.8 W
Aansluiting voeding	Arbitrary
Elektrisch uithoudingsvermogen	10000 cycle
Aantal polen	4
Bedieningskenmerk	Instantaneous
Geleverde opties	-
Verbindingscapaciteit	Rigid 16 ... 16 mm ² Flexible 16 ... 16 mm ²

Environmental

Omgevingstemperatuur	-25...55 °C
Omgevingsluchttemperatuur	Operation -25...55 °C
Beschermingsgraad	IP2X
Weerstand tegen trillingen volgens IEC 60068-2-6	0.1 mm or 1 g - 20 cycles at 5...150...5 Hz
Schokweerstand volgens IEC 60068-2-27	25g / 2 shocks / 13 ms
RoHS-status	Following EU Directive 2011/65/EU
Milieu-informatie	Refer to RoHS

Technical UL/CSA

Kortsluitstroomwaarde (SCCR)	0.03 ... 0.03 A
------------------------------	-----------------

Dimensions

Product netto breedte	105 mm
Product netto hoogte	93 mm
Product netto diepte	76 mm
Product netto gewicht	0.173 kg

Container Information

Pakketniveau 1 Units	box 1 stuk
Pakketniveau 1 Breedte	232 mm
Pakketniveau 1 Hoogte	198 mm
Pakketniveau 1 Lengte	492 mm
Pakketniveau 1 Bruto gewicht	3962 g
Pakketniveau 1 EAN	8012542798101
Pakketniveau 2 Units	box 16 stuk

Pakketniveau 2 Breedte	220 mm
Pakketniveau 2 Hoogte	170 mm
Pakketniveau 2 Lengte	485 mm
Pakketniveau 2 Brutogewicht	3898 g
Pakketniveau 2 EAN	8012542731023

Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85363030
E-Number (Finland)	3259840
Land van herkomst	Italy (IT)

Certificates and Declarations (Document Number)

Conformiteitsverklaring - CE	9AKK106713A5614
Milieu-informatie	Refer to RoHS
Instructies en handleidingen	2CSB423001D003
RoHS-informatie	2CSC427001K2701

Popular Downloads

Gegevensblad, technische informatie	9AKK107991A8329
Instructies en handleidingen	2CSB423001D003

Classifications

ETIM 7	EC002297 - Residual current circuit breaker (RCCB) module
ETIM 8	EC002297 - Residual current circuit breaker (RCCB) module
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85363030
Object classificatiecode	F

Categorieën

Laagspanningsproducten en -systemen → Modulaire DIN rail producten → Aardlekschakelaars RCD's → Aardlekblokken

