

PRODUCT-DETAILS

CA26R

CA26R ComfortLine Compact distribution board,
Surface-mounted, 120 SU, Isolated, IP44, Field
Width: 2, Number Of Rows: 5, 950 mm x 550
mm x 160 mm



Algemene informatie

Type	CA26R
Artikelnummer	2CPX052237R9999
EAN	4011617522379
Omschrijving	CA26R ComfortLine Compact distribution board, Surface-mounted, 120 SU, Isolated, IP44, Field Width: 2, Number Of Rows: 5, 950 mm x 550 mm x 160 mm
Omschrijving	Compact distribution board, partly assembled cabinet, for the internal use, with Door, class of protection II (double insulated), in combination with earthing set (accessory) we can achieve protection class 1, degree of protection IP44, applicable standards: EN 61439-1, EN 61439-3, Rated operational voltage 400V AC 50/60 Hz, rated current 125 A, Powder-coated, in RAL 9016, enclosure out of sheet steel, single-leaf door, door out of sheet steel, in RAL 9016, with Standard closure, door opening angle 120 degree, door hinge right or left, cable entry on top via membrane flange mounted, on bottom via flange opening pre-punched, dimensions in mm (H x W x D): 950 x 550 x 160, Grid unit 6 GU, panel width 2, 5-rows, Space units 120, Row distance in mm: 150, covers out of Plastic, 90 degree press and turn closure, RAL 7035, with N/PE Quick-terminal, cable fastening rail integrated, Assembled with distribution module, device support removable

Technical

Normen	DIN EN 61439-3
Nominaal bedrijfsvoltage	Maximum 400 V
Operationeel voltage	400 V
Toegekende stroom (I_n)	125 A

Vermogensverlies	$\Delta t = 20K \ 69.3 \ W$ $\Delta t = 25K \ 91.5 \ W$ $\Delta t = 30K \ 114.8 \ W$
Aantal rijen	5
Type sluiting	Turn Handle
Configuratietype	Assembled with distribution module
Afdekplaattype	Door
Behuizingstype	compact distribution boards
Montagetype	Surface-mounted
Deurtype	Single
Materiaal behuizing	Steel
Afdekstijl	Closed
DIN-plaatseenheden	120
RAL-nummer	RAL 9016 - Verkeerswit
Kleur	Traffic white
Terminaltype	Quick-Terminal

Environmental

Beschermingsgraad	IP44
Beschermingsklasse	Isolated

Dimensions

Breedte in module-eenheden	24
Product netto breedte	550 mm
Product netto hoogte	950 mm
Product netto diepte	160 mm
Product netto gewicht	18.867 kg
Inbouwdiepte (t ₂)	0 mm

Container Information

Pakketniveau 1 Units	pack 1 stuk
Pakketniveau 1 Breedte	556 mm
Pakketniveau 1 Hoogte	952 mm
Pakketniveau 1 Lengte	165 mm
Pakketniveau 1 Bruto-gewicht	19.622 kg
Pakketniveau 1 EAN	4011617522379
Pakketniveau 2 Units	pallet (lift) 12 stuk
Pakketniveau 2 Breedte	800 mm
Pakketniveau 2 Hoogte	1800 mm
Pakketniveau 2 Lengte	1200 mm
Pakketniveau 2 Bruto-gewicht	246.404 kg

Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85381000
Land van herkomst	Germany (DE)

Certificates and Declarations (Document Number)

Conformiteitsverklaring - CE	9AKK107680A4771
Instructies en handleidingen	2CPC133150M5601

Popular Downloads

Gegevensblad, technische informatie	2CPC000001C0101 2CPC000002C0101 2CPC000377C0101
Instructies en handleidingen	2CPC133150M5601

Classifications

ETIM 7	EC000214 - Small distribution board
ETIM 8	EC000214 - Small distribution board
EPLAN-catalogus boom	Mechanics / Housings / General
WEEE-categorie	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85381000
Object classificatiecode	U

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CPX052449R9999	CZL61 ComfortLine Compact CA Enclosure accessories, 15 mm x 200 mm x 300 mm	CZL61	1	piece
2CPX052412R9999	CZT2 ComfortLine Accessory door, 165 mm x 62 mm x 32 mm	CZT2	1	piece
2CPX052556R9999	CZ9P16 ComfortLine Interior fitting system, 26 mm x 18.2 mm x 94 mm	CZ9P16	1	piece
2CPX052488R9999	CZT5 ComfortLine Accessory door, 164 mm x 62 mm x 47 mm	CZT5	1	piece
2CPX052462R9999	CZ4 ComfortLine Accessory cabinet connection, 20.5 mm x 204 mm x 87 mm	CZ4	1	piece
2CPX052460R9999	CZ2 ComfortLine Accessory cabinet connection, 30 mm x 50 mm x 13 mm	CZ2	1	piece
2CPX052459R9999	CZ1P4 ComfortLine Accessory cabinet assembly, 130 mm x 40 mm x 20 mm	CZ1P4	1	piece
2CPX052437R9999	CZF3 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF3	1	piece
2CPX052438R9999	CZF4 ComfortLine Flange, 22 mm x 223 mm x 106 mm	CZF4	1	piece
2CPX010487R9999	TZ503 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ503	1	piece
2CPX010488R9999	TZ504 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ504	1	piece
2CPX010489R9999	TZ505 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ505	1	piece
2CPX010490R9999	TZ506 Enclosure accessories, 70 mm x 100 mm x 180 mm	TZ506	1	piece
2CPX010491R9999	TZ507 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ507	1	piece
2CPX010492R9999	TZ508 Enclosure accessories, 25 mm x 100 mm x 170 mm	TZ508	1	piece
2CPX052419R9999	CZT26H ComfortLine Enclosure accessories, 500.5 mm x 29.5 mm x 5 mm	CZT26H	1	piece

Categorieën

Laagspanningsproducten en -systemen → Verdelers → Onderverdeelborden (System pro E energy) → Compacte verdeelborden - samengestelde modules → ComfortLine Compact CA

