

## PRODUCT-DETAILS

# HS/S 4.2.1

## HS/S4.2.1 Outside Light Sensor Interface, MDRC



### Algemene informatie

|               |                                                                                                                                                                              |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type          | HS/S 4.2.1                                                                                                                                                                   |
| Artikelnummer | 2CDG120044R0011                                                                                                                                                              |
| EAN           | 4016779906722                                                                                                                                                                |
| Omschrijving  | HS/S4.2.1 Outside Light Sensor Interface, MDRC                                                                                                                               |
| Omschrijving  | The device can be used as a twilight switch (1 ... 100 lux) or as a light value switch (100 ... 20.000 lux). One Outside Light Sensor LFO/A 1.1 is supplied with the device. |

### Ordering

|                            |               |
|----------------------------|---------------|
| EAN                        | 4016779906722 |
| Nummer douanetarief        | 85389091      |
| Minimale bestelhoeveelheid | 1 stuk        |
| E-Number (Switzerland)     | 405461105     |
| E-Number (Finland)         | 2815442       |
| E-Number (Sweden)          | 1738424       |

### Dimensions

|                       |          |
|-----------------------|----------|
| Product netto diepte  | 70 mm    |
| Product netto hoogte  | 90 mm    |
| Product netto breedte | 53 mm    |
| Product netto gewicht | 0.187 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Pakketniveau 1 Units           | box 1 stuk    |
| Pakketniveau 1 EAN             | 4016779906722 |
| Pakketniveau 1 Lengte          | 102 mm        |
| Pakketniveau 1 Hoogte          | 102 mm        |
| Pakketniveau 1 Breedte         | 110 mm        |
| Pakketniveau 1<br>Brutogewicht | 0.243 kg      |

## Technical

|                                |          |
|--------------------------------|----------|
| Compatibele<br>bussystemen     | KNX (TP) |
| Beschermingsgraad              | IP20     |
| Montagetype                    | DIN-Rail |
| Schermgrootte                  | 2 in     |
| Breedte in module-<br>eenheden | 3        |

## Certificates and Declarations (Document Number)

|                                        |                 |
|----------------------------------------|-----------------|
| Gegevensblad,<br>technische informatie | 2CDC507131D0202 |
| Conformiteitsverklaring<br>- CE        | 2CDK507148D2701 |
| Instructies en<br>handleidingen        | 2CDG941107P0002 |
| RoHS-informatie                        | 2CDK507148D2701 |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS-status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Classifications

|                |                                                            |
|----------------|------------------------------------------------------------|
| ETIM 7         | EC000927 - Brightness sensor for bus system                |
| ETIM 8         | EC000927 - Brightness sensor for bus system                |
| eClass         | V11.0 : 27143111                                           |
| WEEE-categorie | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → Lichtbediening → Lichtniveausensoren

